Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20060125475").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 09:57
L2	0	l1 and average	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 09:57
L3	0	I1 and noise	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:06
L4	1	l1 and store	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:08
L5	5	600/409 ccls. and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:10
L6	7	(US-20080071615-\$ or US-20020163333-\$ or US-20020093491-\$ or US-20060125475-\$ or US-20020158632-\$).did. or (US-6543272-\$ or US-5659248-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/08/04 10:35

				<u>-</u>	1	<b></b>
L7	63	(US-20060084859-\$ or US-20070120058-\$ or US-20070126422-\$ or US-20040002645-\$ or US-20050153425-\$ or US-20060125475-\$ or US-20060125475-\$ or US-20060125475-\$ or US-20060147054-\$ or US-20060147054-\$ or US-20060147054-\$ or US-20060166681-\$ or US-20060166681-\$ or US-20060192598-\$ or US-20060192598-\$ or US-2006014147-\$ or US-2006014147-\$ or US-2006014147-\$ or US-2006014147-\$ or US-2006013367-\$ or US-20070163367-\$ or US-20070163367-\$ or US-20060233278-\$ or US-20020190915-\$ or US-20030088372-\$).did. or (US-6163296-\$ or US-5640371-\$ or US-7026927-\$ or US-6977504-\$ or US-6359444-\$ or US-5650703-\$ or US-6484131-\$ or US-6615155-\$ or US-6484131-\$ or US-6263230-\$ or US-6489232-\$ or US-6005916-\$ or US-6589032-\$ or US-7173563-\$ or US-7173793-\$ or US-678904-\$ or US-579076-\$ or US-6753738-\$ or US-7775302-\$ or US-645394-\$).did. or (US-6054951-\$ or US-5790076-\$ or US-6583613-\$ or US-6583613-\$ or US-6583613-\$ or US-6388648-\$ or US-6331438-\$ or US-594280-\$).did. or (US-6054951-\$ or US-5790076-\$ or US-6388648-\$ or US-6331438-\$ or US-65894280-\$).did. or (US-6054951-\$ or US-6965232-\$ or US-6388648-\$ or US-6331438-\$ or US-594280-\$).did. or (US-5952825-\$).did. or (US-5952825-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/08/04 10:35
L8	68	16 17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:39

L9	6	(("5811815") or ("5760398") or ("5763885")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:39
L10	0	I9 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:44
L11	68	18 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:59
L12	8	(("6005916") or ("6636584") or ("6587540") or ("5588032")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 11:00
L13	4	I12 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 11:00

	1		1			·
S1	. 96	(("20030046021") or ("20030193443") or ("20030210145") or ("20040260310") or ("20050154284") or ("4097846") or ("4276776") or ("4401181") or ("4488443") or ("4585282") or ("4631676") or ("4859991") or ("4925301") or ("4956812") or ("4967278") or ("5178018") or ("5191528") or ("5178018") or ("5204814") or ("5216605") or ("5280332") or ("5281901") or ("5341130") or ("5361633") or ("5408323") or ("5361633") or ("5408323") or ("5554033") or ("5650703") or ("5827482") or ("5959883") or ("6039211") or ("6048692") or ("6078445") or ("6091563") or ("6177217") or ("6191847") or ("6200713") or ("6254492") or ("6298262") or ("6397661") or ("6359444") or ("6397661") or ("6836216")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:27
S2	15403	(array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:00
S3	249	(array same calibrat\$3 same (admittance impedance))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:04
S4	108	S3 and @py<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:04
S5	99	(array same calibrat\$3 same (admittance impedance)) and array.ab,ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:12

S6 4759	(array same calibrat\$3) and magnetic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:34
S7 243	("20020193685" "20030041866" " 20030052785" "20030066537" "2 0030088178" "20030105394" "20 030122653" "20030149353" "200 30192557" "20040101073" "2004 0125916" "20040133101" "20040 138555" "20040158146" "200500 59884" "20050195084" "2005026 1570" "3577160" "3967161" "396 9629" "4023167" "4114601" "412 3749" "4127110" "4160971" "422 2374" "4260990" "4393872" "461 8822" "4633250" "4642786" "464 3196" "4696287" "4795995" "479 9495" "4909789" "4936823" "499 4079" "5019713" "5031634" "505 7095" "5062847" "5095224" "509 9845" "5107862" "5142292" "517 0055" "5189690" "5233990" "528 5772" "5325873" "5353804" "537 7678" "5386191" "5396889" "539 6905" "5400787" "5409004" "542 3334" "5425367" "5425382" "550 9900" "5528651" "5559435" "562 1779" "5638819" "5664582" "570 7390" "5727552" "5729129" "573 5795" "5745545" "5764052" "576 9861" "5810851" "5815076" "584 0148" "598137" "5951481" "598 9265" "6026818" "6059734" "606 1644" "6067465" "6076008" "608 1238" "6082366" "6129668" "616 5135" "6198963" "6373940" "637 1379" "6380732" "6385482" "640 5072" 6416520" "6474341" "653 4982" "6553326" "6564807" "661 1141" "6675810" "6698433" "670 1179" "6812842" "6822570" "683 8990" "6838990" "6905245" "691 8919" "6977504" "7026927").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:19

S8	4	S7 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/08/02 15:23
S9	14	S7 and array and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:23
S10	96	(("20030046021") or ("20030193443") or ("20030210145") or ("20040260310") or ("20050154284") or ("4097846") or ("4276776") or ("4401181") or ("4488443") or ("4585282") or ("4631676") or ("4859991") or ("4888579") or ("4903702") or ("4925301") or ("4956812") or ("4967278") or ("5178018") or ("5191528") or ("5193285") or ("5204814") or ("5216605") or ("5280332") or ("5281901") or ("5341130") or ("5361633") or ("5408323") or ("5361633") or ("5408323") or ("5416648") or ("5545985") or ("5554033") or ("5650703") or ("637445") or ("6091563") or ("6078445") or ("6091563") or ("6177217") or ("6191847") or ("6200713") or ("6254492") or ("6298262") or ("6397661") or ("6359444") or ("6397661") or ("6836216")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:27
S11	22	S10 and array and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 15:33
S12	56507	array and magnetic and sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:34

		•				
S13	4504	S12 and calibrate	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:00
S14	15589	S12 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:34
S15	1491	S14 and magnet\$3.ab,ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:35
S16	108	S12 and 600/409	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:37
S17	37	S14 and 600/409	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:37
S18	9	("20020193685"   "20030041866"   "20030066537"   "20030105394"   "20030122653"   "20030149353"   "5057095"   "6165135"   "6564807").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 15:43
S19	1	("6812842").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 15:47
S20	829	S13 and resonant	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:03
S21	333	S20 and (admittance impedance)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:01


				1	1	T
S22	42	S20 and array.ab,ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:08
S23	5767	magnetic same field same measur\$3 and array and sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:09
S24	2348	S23 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:09
S25	814	S24 and (admittance impedance)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:10
S26	336	S25 and printed	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:10
S27	330	S25 and printed and circuit	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:12
S28	4759	(array same calibrat\$3) and magnetic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:23
S29	1255	S28 and array.ab,ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:13

S30	753	S29 and sensor	US-PGPUB;	OR	OFF	2007/08/02 16:14
			USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S31	75	(array same self-calibrat\$3) and magnetic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:23
S32		(array same calibrat\$3) and magnetic and near\$field	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:34
S33	297	(array same calibrat\$3) and magnetic and spiral	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:54
S34	4	(("6636584") or ("6587540")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:55
S35	0	S34 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:56
S36	2	S34 and array	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 16:56
S37	2	S34 and array and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 17:21

538	2	("4825162").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 17:31
539	0	S38 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 17:21
S40	5889	array and calibrat\$3 and invert\$3 and (matri\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 17:32
S41	1239	S40 and (admittance impedance)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 08:02
S42	0	EP-0382392-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 08:02
S43	1	EP-382392-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 08:03
S44	5889	array and calibrat\$3 and (matri\$3) and invert\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 08:04
S45	3085	S44 and sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 08:04

S46	417	S45 and array.ab,ti.	US-PGPUB;	OR	OFF	2007/08/03 08:05
			USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S47	31	S46 and self\$calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/08/03 08:40
S48	181	S46 and magnet\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 08:41
S49	4	("5041780"   "5438256"   "6310470").PN. OR ("6583613"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 09:17
S50	2	S49 and calibrat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 09:17
S51	41	("2797406"   "3418628"   "3605088"   "3825921"   "3924257"   "4187494"   "4199756"   "4432563"   "4552376"   "4852901"   "4854604").PN. OR ("5108123"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 09:25
S52	6	S51 and calibrat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 09:25

8/4/2007 11:02:02 AM
C:\Documents and Settings\jtalman\My Documents\EAST\Workspaces\10750456.wsp



Page 11

			r	T	1	1.
S53	58	(US-20060125475-\$ or	US-PGPUB;	OR	OFF	2007/08/03 10:25
		US-20050153425-\$ or	USPAT;			
		US-20040002645-\$ or	DERWENT			
		US-20070126422-\$ or				
		US-20070163367-\$ or				
		US-20070046287-\$ or				
		US-20060202036-\$ or				
		US-20060166681-\$ or				
		US-20060114147-\$ or				
		US-20050169483-\$ or				
		US-20070167723-\$ or				
		US-20060293597-\$ or				
		US-20060267759-\$ or				
		US-20060247511-\$ or				
		US-20060202688-\$ or				
		US-20060192598-\$ or				
		US-20060084859-\$ or				
		US-20020158632-\$ or				
		US-20070120058-\$ or				
		US-20060147054-\$ or				
		US-20020190915-\$).did. or				
		(US-6163296-\$ or US-5640371-\$				
		or US-7026927-\$ or US-6977504-\$				
		or US-6359444-\$ or US-5650703-\$				
		or US-6789043-\$ or US-6615155-\$				
	1	or US-6484131-\$ or US-6263230-\$				
	1	or US-7133793-\$ or US-7173563-\$				·
		or US-6433822-\$ or US-6054951-\$				
		or US-5790076-\$ or US-7075302-\$				
		or US-7064547-\$ or US-6965232-\$				
		or US-6753738-\$ or US-6717406-\$				
		or US-6459394-\$ or US-6289232-\$				
		or US-6084538-\$ or US-6005916-\$				
		or US-5910728-\$ or				
		US-5588032-\$).did. or				
		(US-4660419-\$ or US-6388648-\$				
}		or US-6331438-\$ or US-5245347-\$				
		or US-5040657-\$ or US-4766500-\$				
		or US-6583613-\$ or US-6310470-\$				
		or US-5108123-\$ or				
		US-5073858-\$).did. or				
	1	(US-5952825-\$).did.				
S54	18	S53 and self\$2calibrat\$3	US-PGPUB;	OR	OFF	2007/08/03 09:36
			USPAT;			
		,	FPRS;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			
S55	2	("5929810"   "6239747").PN.	US-PGPUB;	OR	OFF	2007/08/03 10:20
333		(3)23020   02337 17 )	USPAT;	5.0		
			USOCR			
L			1	1	1	

			1	_	r	T
S56	13	S53 and preamplifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:33
S57	13601	array and cross\$talk and (calibrat\$3 compensat\$3 correct\$3 cancel\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:35
S58	979	S57 and cross\$talk.ab,ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:35
S59	3118	(array same cross\$talk) and (calibrat\$3 compensat\$3 correct\$3 cancel\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:35
S60	508	(array same cross\$talk) same (calibrat\$3 compensat\$3 correct\$3 cancel\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:36
S61	294	S58 and (magnetic acoustic ultraso\$9)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:43
S62		(("4897788") or ("5764720") or ("20070023668")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 11:50
S63	618	calibrat\$3 and array and (not "sensor array") and excit\$5 and (magnetic acoustic ultraso\$9) and preamplifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 11:54

8/4/2007 11:02:02 AM C:\Documents and Settings\jtalman\My Documents\EAST\Workspaces\10750456.wsp

			τ			
S64	527	S63 and @ay<"2005"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 11:53
S65	476	S63 and @ay<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 11:53
S66	278	calibrat\$3 and array and (sensor not "sensor array") and excit\$5 and (magnetic acoustic ultraso\$9) and preamplifier and @ay<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:18
S67	53	(calibrat\$3 same array) and (sensor not "sensor array") and excit\$5 and (magnetic acoustic ultraso\$9) and preamplifier and @ay<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:18
S68	8	("4682117"   "4977546"   "531326@"   "5345172"   "5809087"   "5894280"   "5903350"   "H001619").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 12:45
S69	675	(array and \$calibrat\$3).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:45
S70	532	(array and \$calibrat\$3).ti. and @ay<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:46
S71	25	(array and \$calibrat\$3).ti. and @ay<"2004" and magnetic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:46
S72	3	("20020150263"   "5515445"   "7088831").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 13:04

			1	1		
S73	63	(US-20060125475-\$ or	US-PGPUB;	OR	OFF	2007/08/03 13:16
		US-20050153425-\$ or	USPAT;			
		US-20040002645-\$ or	DERWENT			
		US-20070126422-\$ or				
		US-20070163367-\$ or				
		US-20070046287-\$ or				
		US-20060202036-\$ or				
		US-20060166681-\$ or				
		US-20060114147-\$ or				
		US-20050169483-\$ or				
		US-20070167723-\$ or				
		US-20060293597-\$ or				
		US-20060267759-\$ or				
		US-20060247511-\$ or				
		US-20060202688-\$ or				
		US-20060192598-\$ or		•		
		US-20060084859-\$ or				
		US-20020158632-\$ or				
		US-20070120058-\$ or				
		US-20060147054-\$ or				
		US-20020190915-\$ or				
		US-20060233278-\$ or				
		US-20020118614-\$ or				
		US-20030088372-\$).did. or				
		(US-6163296-\$ or US-5640371-\$				
		or US-7026927-\$ or US-6977504-\$				
		or US-6359444-\$ or US-5650703-\$				-
		or US-6789043-\$ or US-6615155-\$				
		or US-6484131-\$ or US-6263230-\$				
		or US-7133793-\$ or US-7173563-\$				
		or US-6433822-\$ or US-6054951-\$				
		or US-5790076-\$ or US-7075302-\$				
		or US-7064547-\$ or US-6965232-\$				
		or US-6753738-\$ or US-6717406-\$			ŀ	
		or US-6459394-\$ or US-6289232-\$				
		or US-6084538-\$ or US-6005916-\$		1		
		or US-5910728-\$ or				
		US-5588032-\$).did. or		1		
		(US-4660419-\$ or US-6388648-\$				
		or US-6331438-\$ or US-5245347-\$				
		or US-5040657-\$ or US-4766500-\$				
	-00	or US-6583613-\$ or US-6310470-\$				
		or US-5108123-\$ or US-5073858-\$				
		or US-5106123-\$ 0f US-5073658-\$		,		
		(US-5952825-\$ or	1			
		, ·				
		JP-2005061940-\$).did.				
S74	0	S73 and wavefield.ti.	US-PGPUB;	OR	OFF	2007/08/03 13:17
			USPAT;			
			FPRS;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB	}		

8/4/2007 11:02:02 AM C:\Documents and Settings\jtalman\My Documents\EAST\Workspaces\10750456.wsp

S75	4	S73 and wavefield	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 13:18
S76	63	S73 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 13:18
S77	4	S75 and wavefield	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 13:18
S78	4	S75 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 13:19

S79	63	: (LIC 0000000010E0 ±				
		(US-20060084859-\$ or	US-PGPUB;	OR	OFF	2007/08/03 15:44
		US-20070120058-\$ or	USPAT;	1		
		US-20070167723-\$ or	DERWENT			
		US-20070126422-\$ or				
		US-20040002645-\$ or				
		US-20050153425-\$ or				
		US-20060125475-\$ or				
		US-20060202688-\$ or				
		US-20060293597-\$ or				
		US-20060147054-\$ or				
		US-20020118614-\$ or				
		US-20060247511-\$ or				
		US-20060166681-\$ or		]		
		US-20050169483-\$ or				
1		US-20060192598-\$ or				
		US-20070046287-\$ or		1		
		US-20020158632-\$ or				
		US-20060114147-\$ or				
		US-20060202036-\$ or				
		US-20070163367-\$ or				
		US-20060233278-\$ or				
		US-20020190915-\$ or				
		US-20060267759-\$ or				
		US-20030088372-\$).did. or			ļ	
		(US-6163296-\$ or US-5640371-\$				
		or US-7026927-\$ or US-6977504-\$				
		or US-6359444-\$ or US-5650703-\$				
		or US-6789043-\$ or US-6615155-\$				
		or US-6484131-\$ or US-6263230-\$				
		or US-4660419-\$ or US-6005916-\$				
		or US-6289232-\$ or US-6084538-\$				
		or US-7173563-\$ or US-7133793-\$				
		or US-5588032-\$ or US-5910728-\$				
		or US-6753738-\$ or US-6717406-\$				
		or US-7064547-\$ or US-7075302-\$				
		or US-6433822-\$ or US-5073858-\$				
		or US-6583613-\$ or				
		US-6459394-\$).did. or				
		(US-6054951-\$ or US-5790076-\$				
		or US-5040657-\$ or US-6965232-\$				
		or US-6388648-\$ or US-6331438-\$				
		or US-5245347-\$ or US-5108123-\$				
		or US-4766500-\$ or US-6310470-\$				
}		or US-5894280-\$).did. or				
		(JP-2005061940-\$ or				
		·				
		US-5952825-\$).did.				
S80	51	S79 and (array same calibrat\$3)	US-PGPUB;	OR	OFF	2007/08/03 15:44
			USPAT;			
			FPRS;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			1

S81	4	S79 and wavefields.ti.	US-PGPUB; USPAT;	OR	OFF	2007/08/03 15:44
			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S82	4	S81 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:58
S83	4	S81 and preamplifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:46
S84	4	S81 and voltage	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:52
S85	4	S81 and current	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:52
S86	0	S79 and (excite same element same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:58
S87	4759	(array same calibrat\$3) and magnetic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:34
S88	6	S87 and (excite same element same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:58

8/4/2007 11:02:02 AM C:\Documents and Settings\jtalman\My Documents\EAST\Workspaces\10750456.wsp

S89	22	("4858597"   "4865042"   "4955366"   "5247935"   "5275165"   "5291890"   "5307812"   "5323779"   "5327884"   "5368031"   "5368032"   "5435304"   "5443068"   "5490840"   "5520188"   "5526814"   "5590657"   "5711300"   "5769790"   "5873845"   "5984881"   "6182494").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 16:05
S90	0	S89 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:05
S91	1	S89 and (calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:06
S92	22	("4858597"   "4865042"   "4955366"   "5247935"   "5275165"   "5291890"   "5307812"   "5323779"   "5327884"   "5368031"   "5368032"   "5435304"   "5443068"   "5490840"   "5520188"   "5526814"   "5590657"   "5711300"   "5769790"   "5873845"   "5984881"   "6182494").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/03 16:32
S93	0	S92 and (sequentially same excite)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:33
S94	3	S92 and (sequentially)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR `	OFF	2007/08/03 16:33

S95	454	(array same calibrat\$3) and (sequential\$2 same excit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:51
S96	222	S95 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:35
S97	43	S96 and (not protein\$2) and (not ion\$2) and (not molecule\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:39
S98	43	S97 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:39
S99	5	(US-20030071615-\$ or US-20020163333-\$ or US-20020093491-\$).did. or (US-6543272-\$ or US-5659248-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/08/03 16:42
S10 0	5	S99 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:47
S10 1	4	S79 and wavefields.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:48
S10 2	4	S101 and (sequential\$3 excit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:49

S10 3	82	(array same calibrat\$3) same (sequential\$2 same excit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 16:53
S10 4	51	S79 and (array same calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/08/03 17:05
S10 5	24	sodickson.in. and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:12
S10 6	2198	(coil same array) and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 17:22
S10 7	2	("20060125475").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:22
S10 8	. 1	S107 and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:27
S10 9	0	S107 and "Figure 7"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:27
S11 0	1	S107 and Figure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:31

S11 1	0	S107 and output	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:32
S11 2	0	S107 and preamplifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 17:43
S11 3	0	S107 and noise	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 18:13
S11 4	5	S79 and preamplifier and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 18:15
S11 5	5	S114 and differential	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 09:57

8/4/2007 11:02:02 AM
C:\Documents and Settings\jtalman\My Documents\EAST\Workspaces\10750456.wsp